

# Hydroponic dosage guide

## Guide des dosages hydroponiques

### Phase Phase

### Nutrient Nutriments

Phase	VitaLink Grow A	VitaLink Grow B	VitaLink Bloom A	VitaLink Bloom B
<b>PROPAGATION</b>				
Pre-soaking Propagating Blocks Pré-imbiber Blocs de propagation	2ml/L	2ml/L	X	X
Transplanting Rooted Cuttings Repiquage Boutures	2ml/L	2ml/L	X	X

VEGETATIVE PHASE VEGETATIVE	VitaLink Grow A	VitaLink Grow B	VitaLink Bloom A	VitaLink Bloom B
Week 1 Planting Out Semaine 1 Repiquage	2ml/L CF 10-14 EC 1.0-1.4	2ml/L CF 10-14 EC 1.0-1.4	X	X
Week 2 Semaine 2	2ml/L CF 10-14 EC 1.0-1.4	2ml/L CF 10-14 EC 1.0-1.4	X	X
Week 3 Semaine 3	3ml/L CF 16-20 EC 1.6-2.0	3ml/L CF 16-20 EC 1.6-2.0	X	X
Week 4 and onwards Semaine 4 et après	3ml/L CF 16-20 EC 1.6-2.0	3ml/L CF 16-20 EC 1.6-2.0	X	X

PRODUCTION	VitaLink Grow A	VitaLink Grow B	VitaLink Bloom A	VitaLink Bloom B
Week 1-3 Planting Out Semaine 1-3 Repiquage	X	X	4ml/L CF 18-23 EC 1.8-2.3	4ml/L CF 18-23 EC 1.8-2.3
Week 4 and 5 Semaine 4 et 5	X	X	4ml/L CF 18-23 EC 1.8-2.3	4ml/L CF 18-23 EC 1.8-2.3
Week 6 Semaine 6	X	X	4ml/L CF 18-23 EC 1.8-2.3	4ml/L CF 18-23 EC 1.8-2.3
Week 7 Until final week Semaine 7 jusqu'à la dernière semaine	X	X	3-4ml/L CF 16-20 EC 1.6-2.0	3-4ml/L CF 16-20 EC 1.6-2.0
Final Week Dernière Semaine	Water Eau	Water Eau	Water Eau	Water Eau

### Additives Additifs

VitaLink Bio-Plus	VitaLink Bio-Pak	VitaLink Foliar	VitaLink Buddy	VitaLink Silicon
2ml/L	2ml/L	X	X	X
2ml/L	2ml/L	X	X	X

VitaLink Bio-Plus	VitaLink Bio-Pak	VitaLink Foliar	VitaLink Buddy	VitaLink Silicon
1ml/10L*	1ml/4L	100ml/L*	X	2ml/L
1ml/10L*	1ml/4L	100ml/L*	X	2ml/L
1ml/10L*	1ml/4L	100ml/L*	X	3ml/L
1ml/10L*	1ml/4L	100ml/L*	X	3ml/L

VitaLink Bio-Plus	VitaLink Bio-Pak	VitaLink Foliar	VitaLink Buddy	VitaLink Silicon
1ml/10L*	1ml/4L	100ml/L*	X	4ml/L
1ml/10L*	1ml/4L	100ml/L*	5ml/10L	4ml/L
1ml/10L*	1ml/4L	100ml/L*	5ml/10L	4ml/L
1ml/10L*	1ml/4L	100ml/L*	5ml/10L	4ml/L
Water Eau	Water Eau	Water Eau	Water Eau	Water Eau

\* For re-circulating systems only - Add VitaLink Bio-Plus daily at a dilution of 1ml for every 100 litres of nutrient solution.

À utiliser avec les systèmes de re-circulation uniquement - Diluer 1ml de VitaLink Bio-Plus chaque par 100 litres de solution nutritive.

\* Once a week / Une fois par semaine

### Conversion Chart / Tableau de conversion

Tablespoon  
Cuvillère à soupe



= 5ml / 5cc



= 15ml / 15cc



= 100ml / 100cc

Teaspoon  
Cuvillère à café



= 5ml / 5cc



= 15ml / 15cc



= 30ml / 30cc

